




NT 30/1 Tact Te H

With a guaranteed filtration efficiency of 99.995%, the 30/1 Tact Te H wet and dry vacuum cleaner is the first choice for removing dusts hazardous to health in dust class H.



1 Filtration system with H filter and Tact filter cleaning system

- Sucks less dangerous dust directly into the container. Filtration efficiency: 99.995 per cent.
- The greatest possible health protection without sacrificing suction power or filter endurance.

2 Fulfils testing requirements for dust class H, with additional test for "Asbestos" in accordance with TRGS 519

- In Germany, only safety vacuum cleaners with this licence are allowed to be used to vacuum dust that contains asbestos.

3 Complete antistatic system with conductive accessories

- Users are effectively protected against electric shocks and electrostatic charging.

4 Power outlet with automatic on/off switch

- Te versions are equipped with power outlet, automatic on/off switch and antistatic preparation.



NT 30/1 Tact Te H

- Complete antistatic system, incl. conductive accessories
- Socket with automatic start-up for electric tools
- Licensed for asbestos abatement

Technical data

Order no.	1.148-237.0	
EAN code	4054278061306	
Supply voltage	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Air flow	l/s	74
Vacuum	mbar / kPa	273 / 27.3
Container content	l	30
Rated input power	W	1380
Standard nominal width	DN 35	
Rubber power cable length	m	7.5
Sound pressure level	dB(A)	69
Weight	kg	14.4
Dimensions (L x W x H)	mm	560 × 370 × 580


Equipment

Safety filter bag	piece(s)	1	Protection class	I
Suction hose	m	4 / with bend (electrically conductive)	Stop swivel castor	■
Suction tube	piece(s) × m	2 × 0.55 / Stainless steel	Filter cleaning	Tact Filter Clean
Filter bag	Fleece		PE plastic bag for dust-free disposal	piece(s) 1
Wet/dry floor nozzle	mm	360		
Crevice nozzle	■			
Power tool connection adapter	■			
Automatic switch-on/off for electric devices	■			
Anti-static system	■			
Flat pleated filter	PTFE HEPA			
Sturdy bumper	■			

■ Included in the scope of supply.

NT 30/1 TACT TE H

1.148-237.0



		Order no.	Quantity				Price	Description	
Flat pleated filter HEPA, dust class H									
Safety/HEPA flat pleated filter	1	6.907-671.0	1 piece(s)					Safety/HEPA flat pleated filter made from PES/PTFE fibre material with a red label. Certified for dust class H. For vacuuming hazardous dusts, coarse dirt and liquids.	■
HEPA-14 flat pleated filter	2	6.904-242.0	1 piece(s)					HEPA-14 (H14) flat pleated filter for Kärcher wet and dry vacuum cleaners. Suitable for vacuuming hazardous dusts, coarse dirt and liquids.	□
Plastic sacks for dust-free disposal									
Plastic bag for dust-free disposal	3	2.889-158.0	10 piece(s)					PE plastic sack for dust-free disposal.	□
	4	2.889-231.0	10 piece(s)					PU plastic bag for dust-free disposal. Pack of 10.	□
Safety filter sets/bags									
Safety filter bag	5	2.889-183.0	5 piece(s)					Safety filter set with dust disposal bag, for dust class H safety vacuum cleaners. Guarantees the dust-free disposal of dangerous dust.	□

■ Included in the scope of supply. □ Available accessories.

NT 30/1 TACT TE H

1.148-237.0

KÄRCHER



		Order no.	Quantity	ID	Length	Width	Price	Description	
Bend, plastic									
Bend Adv, electrically conductive	1	2.889-168.0	1 piece(s)	DN 35				Ergonomic bend for the new clip system. Electrically conductive design. Particularly suited to high concentrations of fine dust.	■
Bend Adv	2	2.889-170.0	1 piece(s)	DN 35				Ergonomic bend for the new clip system.	□
DN 40 bend	3	2.889-171.0	1 piece(s)	DN 40				Bend for the new clip system in nominal size DN 40.	□
Bend, electroconductive, NW40	4	2.889-172.0	1 piece(s)	DN 40				Bend for the new clip system in nominal diameter DN 40. In electrically conductive version. Especially suitable in event of large quantity of fine dust.	□
Floor nozzles									
Wet and dry floor nozzle Adv	5	2.889-152.0	1 piece(s)	35		360 mm		360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	■
Wet/dry floor nozzle, plastic Adv, DN 40	6	2.889-153.0	1 piece(s)	40		360 mm		360 mm wide wet and dry floor nozzle with easy-to-change inserts, squeegees.	□
Wet/Dry floor nozzle standard	7	2.889-173.0	1 piece(s)	35		300 mm		300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.	□
Wet/Dry floor nozzle standard DN40	8	2.889-174.0	1 piece(s)	40		360 mm		Standard floor nozzle, anthracite, in nominal diameter 40, with brush strips and squeegees. Suitable for all wet and dry applications.	□
Crevice nozzles									
Crevice nozzle, DN 35, 225 mm	9	2.889-159.0	1 piece(s)	DN 35	225 mm			Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
Crevice nozzle NT Tact DN 40	10	2.889-160.0	1 piece(s)	40 mm	225 mm			Crevice nozzle ID 40, for new Tact range.	□
Suction tubes, stainless steel									
Set suction tube stainless steel NW35 55	11	2.889-192.0	2 piece(s)	35	550 mm			Stainless steel suction tube set (2 × 0.55 m)	■
Suction tube	12	6.902-081.0	1 piece(s)	40	500 mm			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	□
Set suction tube stainless steel NW40 55	13	2.889-194.0	2 piece(s)	40	550 mm			Stainless steel suction tube set (2 × 0.55 m)	□
Car cleaning nozzles									
Car nozzle	14	6.906-108.0	1 piece(s)	DN 35		90 mm		Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	□
Rubber suction tools, nose 45°									
Rubber suction tool, nose 45°	15	6.902-104.0	1 piece(s)	35 mm	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	□
	16	6.902-105.0	1 piece(s)	40 mm	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	□
Suction tubes, metal									
Suction tube set, chrome-plated, NW 35 550 mm	17	2.889-191.0	2 piece(s)	35	550 mm			Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.	□

■ Included in the scope of supply. □ Available accessories.

NT 30/1 TACT TE H 1.148-237.0

KÄRCHER




		Order no.	Quantity	ID	Length		Price	Description
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)								
Suction hose, NT, DN 35, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	1	2.889-137.0	1 piece(s)	DN 35	4 m			4 m suction hose with new bayonet and clip fastener. Electrically conductive. ■
Suction hose, NT, DN 35, length 4 m, clip 2.0, bayonet 2.0	2	2.889-135.0	1 piece(s)	DN 35	4 m			4 m suction hose with new bayonet and clip fastener. □
Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	3	2.889-136.0	1 piece(s)	DN 35	2.5 m			Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m. □
Suction hose, NT, DN 40, length 4 m, clip 2.0, bayonet 2.0	4	2.889-138.0	1 piece(s)	DN 40	4 m			4 m long suction hose with new bayonet and clip fastener. □
Suction hose, NT, DN 40, length 2.5 m, clip 2.0, bayonet 2.0	5	2.889-139.0	1 piece(s)	DN 40	2.5 m			Suction hose with new bayonet and clip fastener. Length: 2.5 m. □
Suction hose, NT, DN 40, length 4 m, oil-resistant, clip 2.0, bayonet 2.0	6	2.889-140.0	1 piece(s)	DN 40	4 m			Oil-resistant suction hose with new bayonet and clip fastener. Length: 4 m. □
Suction hose, NT, DN 40, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	7	2.889-141.0	1 piece(s)	DN 40	4 m			4 m long, electrically conductive suction hose with new bayonet and clip fastener. □
Suction hose, NT, DN 40, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	8	2.889-142.0	1 piece(s)	DN 40	2.5 m			Suction hose, electrically conductive, with new bayonet and clip fastener. 2.5 m long. □
Extension hose, T/NT, DN 35, length 2.5 m, clip 2.0, connecting adapter	9	2.889-145.0	1 piece(s)	DN 35	2.5 m			Extension hose for new clip system ID 35. Length: 2.5 m. □
Extension hose, NT, DN 40, length 2.5 m, clip 2.0, connecting adapter	10	2.889-146.0	1 piece(s)	DN 40	2.5 m			Extension hose for new clip system ID 40. Length: 2.5 m. □
Extension hose, T/NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, connecting adapter	11	2.889-343.0	1 piece(s)	DN 35	2.5 m			□
Repair kits								
Repair kit ID 35	12	2.889-149.0	1 piece(s)	DN 35				Repair kit ID 35 for the new clip system. □
Repair kit ID 40	13	2.889-150.0	1 piece(s)	DN 40				Repair kit ID 40 for the new clip system. □

■ Included in the scope of supply. □ Available accessories.

NT 30/1 TACT TE H

1.148-237.0



		Order no.	Quantity	ID			Price	Description	
Connection adapter for power tools, clip-on, electrically conductive									
Tool collar DN 35, clip-on	1	2.889-151.0	1 piece(s)	35 mm				Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.	■
Connection adapter C ID (clip to cone)									
Adapter clip DN 35 on cone DN 35	2	5.407-005.0						Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	□
Adapter clip DN 40 to cone DN 40	3	5.407-006.0		DN 40				For connecting small nozzles and suction tubes with cone DN 40: Adapter clip system DN 40. Ideal for vehicle interior cleaning tasks, with no need to connect additional nozzles.	□

■ Included in the scope of supply. □ Available accessories.

NT 30/1 TACT TE H 1.148-237.0

	Order no.	Flow rate	Length of the product	Length	Price	De- scrip- tion	
Telescopic lances							

■ Included in the scope of supply. □ Available accessories.

NT 30/1 TACT TE H 1.148-237.0



NT 30/1 TACT TE H

1.148-237.0



		Order no.	Quantity	Width			Price	Description	
Other accessories NT									
Drilling dust nozzle	1	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Adapter clip new on clip old DN 35	2	2.889-312.0						Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	<input type="checkbox"/>
Adapter connection, electrically conductive, for old NT hoses with bayonet connection	3	5.031-436.0						Electroconductive, universal adapter for connecting old NT hoses of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.