

M12 BDD-202C | M12™ sub compact drill driver



- Milwaukee® high performance sub compact drill driver measures 187 mm in length making it ideal for working within confined spaces.
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability.
- 10 mm metal chuck for quick bit changes and bit retention.
- Optimised handle for better control and improved grip.
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability.
- On board fuel gauge and LED light - added user convenience and illumination in low lit working conditions.
- REDLITHIUM-ION™ battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life.

	M12 BDD-202C
Battery pack capacity (Ah)	2.0
Battery type	Li-ion
Charger supplied	40 min
Chuck capacity (mm)	10
Max. drilling steel (mm)	10
Max. drilling wood (mm)	22
Max. torque (Nm)	30
No load speed gear 1 (rpm)	0 - 400
No load speed gear 2 (rpm)	0 - 1500
No. of batteries supplied	2
Sound power level (dB(A))	96
Sound power level uncertainty (dB(A))	3
Sound pressure level (dB(A))	85
Sound pressure level uncertainty (dB(A))	3
Supplied in	Kitbox
Vibration drilling into Metal [m/s ²]	1.5
Vibration drilling into metal uncertainty [m/s ²]	1.5
Vibration screw driving (m/s ²)	0.4
Vibration screw driving uncertainty (m/s ²)	1.5
Voltage (V)	12
Weight with battery pack (kg)	1.2
Wood screws to (mm)	6