

M12 CH-402C | M12 FUEL™ sub compact SDS-plus hammer



- Industry's first brushless compact 12V rotary hammer with 1.1 Joules (EPTA), 0 - 6575 bpm & 0 - 900 rpm.
- Exceptionally low vibration value 4.4 m/s² can be used for 8 hours in a day.
- Will drill over 60 50 mm x 6 mm holes per battery charge.
- Superior power to weight ratio in its class with Milwaukee® designed and built brushless POWERSTATE™ motor for up to 3x longer motor life and up to 2x more run time.
- REDLINK PLUS™ intelligence system delivers an advanced digital overload protection for tool and battery and uniquely enhances the tool performance under load.
- REDLITHIUM-ION™ battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life.
- 2-mode operation: choose rotary hammer or rotation only for maximum versatility.

	M12 CH-402C
Battery pack capacity (Ah)	4.0
Battery type	Li-ion
Blow energy (EPTA)(J)	1.1
Charger supplied	80 min
Full load hammer action (bpm)	0 - 6575
Max. drilling concrete (mm)	13
Max. drilling steel (mm)	10
Max. drilling wood (mm)	13
No load speed (rpm)	0 - 900
No. of batteries supplied	2
Optimised drilling capacity in concrete (mm)	ø 5.5 - 12
Sound power level (dB(A))	95.5
Sound power level uncertainty (dB(A))	3
Sound pressure level (dB(A))	84.5
Sound pressure level uncertainty (dB(A))	3
Supplied in	Kitbox
Vibration drilling (m/s ²)	4.4
Vibration drilling into concrete uncertainty [m/s ²]	1.5
Voltage (V)	12
Weight with battery pack (kg)	1.9