

# M12 BPD-202C | M12™ sub compact percussion drill



- Milwaukee® high performance sub compact percussion drill measures 190 mm in length making it ideal for working within confined spaces.
- REDLINK™ overload protection electronics in tool and battery pack deliver best in class system durability.
- 10 mm metal chuck for quick bit changes and bit retention.
- Optimised handle for better control and improved grip.
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability.
- On board fuel gauge and LED light - added user convenience and illumination in low lit working conditions.
- REDLITHIUM-ION™ battery pack provides superior pack construction, electronics and fade-free performance to deliver more run time and more work over pack life.

M12 BPD-202C	
Battery pack capacity (Ah)	2.0
Battery type	Li-ion
Charger supplied	40 min
Chuck capacity (mm)	10
Max. drilling masonry (mm)	10
Max. drilling steel (mm)	10
Max. drilling wood (mm)	22
Max. percussion rate (bpm)	22,500
Max. torque (Nm)	30
No load speed gear 1 (rpm)	0 - 400
No load speed gear 2 (rpm)	0 - 1500
No. of batteries supplied	2
Sound power level (dB(A))	97
Sound power level uncertainty (dB(A))	3
Sound pressure level (dB(A))	85
Sound pressure level uncertainty (dB(A))	3
Supplied in	Kitbox
Vibration drilling into concrete [m/s <sup>2</sup> ]	7.9
Vibration drilling into concrete uncertainty [m/s <sup>2</sup> ]	1.5
Vibration drilling into Metal [m/s <sup>2</sup> ]	1.5
Vibration drilling into metal uncertainty [m/s <sup>2</sup> ]	1.5
Vibration screw driving (m/s <sup>2</sup> )	0.4
Vibration screw driving uncertainty (m/s <sup>2</sup> )	1.5
Voltage (V)	12