



SLC LED STRIP UL iCC 120 30M 10MM 8W 570LM 4000K CRI80

08/11/2022

S11052

Product description

The SLC Ultra Long 8W LED-Strip extends up to 30 metres per connection. It is suitable for visual decorative and accent effects. Especially for corridors and other projects where you need a longer range.

The SLC Ultra Long 8W LED-Strip extends up to 30 metres per connection. It is suitable for visual decorative and accent effects. Especially for corridors and other projects where you need a longer range. It is also great for backlighting on walls. The constant current technology protects each LED diode from voltage drop and ensures a homogeneous light over long distances. The 3M adhesive tape on the back of the LED strips makes installation quick and easy. Available in many lengths, colour temperatures and IP classes. Only dimmable with PWM PSU / Controllers.



Technical data

Model	Strip
Lamp type	LED not exchangeable
Lamp power per meter	8 W
Voltage type	DC
Beam angle	120 °
Rated life time L80/B10 at 25 °C	60000 h
Protection class	II
Colour of light	White
Colour rendering index CRI	80-89
Width	10 mm
Length	30000 mm





Mounting method	Surface mounting/recessed mounting
Number of nodes per meter	120
Luminous flux per meter	570 lm
Lamp voltage	24 - 24 V
Type of control gear	LED operating device voltage-controlled
Degree of protection (IP)	IP20
Max. system power	240 W
Colour temperature	4000 - 4000 K
Power factor	0,95
Height/depth	2 mm
Length of particular segments	41,67 mm







Self-adhesive	Yes
Number of poles	2
LED-Strip length (m)	30
Exterior color	White
Dimming method	Pulse Width Modulation (PWM)
GTIN	7070938062541
HS Code	94054010


Type of wiring	Ending
Conductor cross section	0,35 mm ²
Max length per connection:	30 meter
Operating temperature	-20°C ~ +45°C
Brand	SLC
Produced by	The Light Group








 **ENERG** 


Scandinavian Lighting Concept
S11052


A 



B 

C 


D 

E 

F 

G   **G**

4
kWh/1000h

 2019/2015

