

Fireman's switch, PV, with SOLAR laser inscribed



**Part no. M22-SOL-PVT45P-MPIQ  
150673**

General specifications		
Product name		Eaton Moeller® series M22 Fireman's switch
Part no.		M22-SOL-PVT45P-MPIQ
EAN		4015081469482
Product Length/Depth		67 millimetre
Product height		45 millimetre
Product width		45 millimetre
Product weight		0.043 kilogram
Compliances		CE
Product Tradename		M22
Product Type		Fireman's switch
Product Sub Type		None
Features & Functions		
Bezel color		Other
Bezel material		Plastic
Electric connection type		Screw connection
General information		
Degree of protection		IP67/IP69K NEMA 4X
Opening diameter		22.5 mm
Electrical rating		
Supply voltage - max		0 V
Actuator		
Actuator color		Red
Actuator type		Turn button
Number of switch positions		2
Contacts		
Number of contacts (change-over contacts)		0
Number of contacts (normally closed contacts)		0
Number of contacts (normally open contacts)		0

**Technical data ETIM 9.0**

Low-voltage industrial components (EG000017) / Selector switch, complete (EC001029)		
Electric engineering, automation, process control engineering / Low-voltage switch technology / Command and alarm device / Selector switch, complete unit (ecl@ss13-27-37-12-43 [ACN984016])		
Number of switch positions		2
Type of control element		Turn button
Suitable for illumination		No
With light source		No
Colour button		Red
Hole diameter	mm	22.5
Width opening	mm	0
Height opening	mm	0
Switching function latching		No
Spring-return		No
Degree of protection (IP)		IP67/IP69K
Degree of protection (NEMA)		4X
Supply voltage	V	0 - 0
Power loss	W	

Number of contacts as normally open contact			0
Number of contacts as normally closed contact			0
Number of contacts as change-over contact			0
Type of electric connection			Screw connection
With front ring			No
Material front ring			Plastic
Colour front ring			Other