

AKK14M


Nimi: **Valaisinpistorasia**
DCL-ripustuskansi, uppoasennus, musta

Tyyppi: AKK14M
EAN: 6438199008776
Snro: 1130114

Kuvaus: Ripustuskansi AKK14 on kaksinapainen (P+N) suojamaadoituksella varustettu musta valaisinpistorasia asennettavaksi jakorasiaan. Siihen voidaan liittää ripustettava valaisin (max 15 kg), joka on tarkoitettu käytettäväksi kuivissa huonetiloissa, joiden lämpötila on normaalisti enintään 25 °C. Valaisinpistorasian nimellisjännite on 250 V ~ / 6 A. Jousiliittimet mahdollistavat 1,5-2,5 mm² ryhmäjohtojen jatkamisen.

Pakkaus: 4/40

Yksikkö: KPL



Mitat

Korkeus 70 mm

Luokat

Kotelointiluokka IP20

Sähkösuureet

Nimellisvirta 6 A

Nimellisjännite 250 V

ETIM

ETIM 7 EC000125 (EC000125)

ETIM 8 EC000125 (EC000125)

ETIM 8

Model DCL

Protective contact yes

Protective earth pin round no

Number of active pins (round)

Number of active pins (flat) 3

With signal lamp no

With built-in USB power supply no

Number of units 1

Number of modules (module system)

AKK14M

Number of socket outlets switchable	1
Number of phases	1
Imprint/indication	None
Connection type	Other
With hinged lid	no
With enhanced contact protection	no
Label space/information surface	no
Colour	Black
RAL-number (similar)	9010
Metallic colour	no
Transparent	no
Lockable	no
Eject-mechanism	no
Insulated mounting	no
With function lighting	no
With orientation lighting	no
Over voltage protection	no
Fault current protection	no
With miniature fuse	no
Special power supply	No special power supply
Mounting method	Surface mounted (plaster)
Type of fastening	Mounting with screw
Material	Plastic
Material quality	Thermoplastic
Halogen free	yes
Surface protection	Untreated
Surface finishing	Matt
Anti-bacterial treatment	no
With on/off switch	no
With loop through function	no
Rotated central insert	no
Nominal current	6 A
Nominal voltage	250 V
Frequency	50 ... 60 Hz
Suitable for degree of protection (IP)	IP20
Impact strength	IK00
Width of device	115 mm
Height of device	115 mm
Depth of device	39 mm

AKK14M

Compatible with Apple HomeKit	no
Compatible with Google Assistant	no
Min. depth of built-in installation box	31 mm
Compatible with Amazon Alexa	no
IFTTT support available	no