


LED floodlight without sensor - Professional Line

XLED PRO ONE Plus

without motion detector
EAN 4007841 069544
Article number 069544



Function description

Floodlights redefined. Housed in a sophisticated aluminium enclosure, the 180° vertically swivelling floodlight XLED PRO ONE Plus without sensor guarantees daylight-bright illumination across large areas with warm white 3000 K and at 33,1 W. Suitable for manual switch operation and for cable-based networking in conjunction with a sensor version. With optional surface-mounting adapter. 5-year guarantee.

Technical specifications

Dimensions (L x W x H)	202 x 259 x 226 mm	LED lamps > 2 W < 8 W	64 W
With lamp	Yes, STEINEL LED system	LED lamps > 8 W	64 W
With motion detector	No	Capacitive load in μF	88 μF
Manufacturer's Warranty	5 years	Photo-cell controller	No
Version	without motion detector	Cover material	shrouds
PU1, EAN	4007841069544	Luminous flux total product	4370 lm
Application, place	Outdoors	Total product efficiency	132 lm/W
Application, room	outdoors, garden, front door, courtyard & driveway, all round the building, Indoors	Colour temperature	3000 K
Colour	Anthracite	Colour variation LED	SDCM3
Includes corner wall mount	No	Lamp	LED cannot be replaced
Installation site	ceiling, wall	LED cooling system	Passive Thermo Control
Installation	Surface wiring, Wall	Functions	Relay output
Impact resistance	IK03	Basic light level function	No
IP-rating	IP44	Main light adjustable	No
Protection class	I	Twilight setting TEACH	No
Ambient temperature	-20 – 40 °C	Interconnection	Yes
		Interconnection via	Cable

<https://www.steinell.de>

Subject to technical modifications

03.2023 Page 1 from 3

LED floodlight without sensor - Professional Line

XLED PRO ONE Plus

without motion detector
EAN 4007841 069544
Article number 069544



Technical specifications

Housing material	Aluminium	Output	33,1 W
Cover material	Glass transparent	Colour Rendering Index CRI	= 80
Mains power supply	220 – 240 V / 50 – 60 Hz		
LED lamps < 2 W	16 W		

Accessories

EAN 4007841 080983	Surface mount adapter XLED PRO ONE Plus + Max
--------------------	---


LED floodlight without sensor - Professional Line

XLED PRO ONE Plus


without motion detector
EAN 4007841 069544
Article number 069544



Dimension Drawing



Slave circuit diagram



Master/slave interconnection circuit diagram

