


LED floodlight without sensor - Professional Line

XLED PRO ONE Max

without motion detector
EAN 4007841 069520
Article number 069520



Function description

Floodlights redefined. Housed in a sophisticated aluminium enclosure, the 180° vertically swivelling floodlight XLED PRO ONE Max without sensor guarantees daylight-bright illumination across large areas with warm white 3000 K and 6093 lm at 49,4 W. Suitable for manual switch operation and for cable-based networking in conjunction with a sensor version. With optional surface-mounting adapter. 5-year guarantee.

Technical specifications

Dimensions (L x W x H)	202 x 259 x 226 mm
With lamp	Yes, STEINEL LED system
With motion detector	No
Manufacturer's Warranty	5 years
Version	without motion detector
PU1, EAN	4007841069520
Application, place	Outdoors
Application, room	outdoors, garden, front door, courtyard & driveway, all round the building, Indoors
Colour	Anthracite
Includes corner wall mount	No
Installation site	ceiling, wall
Installation	Surface wiring, Wall
Impact resistance	IK03
IP-rating	IP44
Protection class	I
Ambient temperature	-20 – 40 °C

LED lamps > 2 W < 8 W	64 W
LED lamps > 8 W	64 W
Capacitive load in µF	88 µF
Photo-cell controller	No
Cover material	shrouds
Luminous flux total product	6093 lm
Measured luminous flux (360°)	6093 lm
Total product efficiency	123 lm/W
Colour temperature	3000 K
Colour variation LED	SDCM3
Lamp	LED cannot be replaced
LED cooling system	Passive Thermo Control
Functions	Relay output
Basic light level function	No
Main light adjustable	No
Twilight setting TEACH	No
Interconnection	Yes

<https://www.steinell.de>

Subject to technical modifications

02.2023 Page 1 from 3

LED floodlight without sensor - Professional Line

XLED PRO ONE Max

without motion detector
EAN 4007841 069520
Article number 069520



Technical specifications

Housing material	Aluminium	Interconnection via	Cable
Cover material	Glass transparent	Output	49,4 W
Mains power supply	220 – 240 V / 50 – 60 Hz	Colour Rendering Index CRI	= 80
LED lamps < 2 W	16 W		

Accessories

EAN 4007841 080983

Surface mount adapter XLED PRO ONE Plus + Max


LED floodlight without sensor - Professional Line

XLED PRO ONE Max


without motion detector
EAN 4007841 069520
Article number 069520



Dimension Drawing



Slave circuit diagram



Master/slave interconnection circuit diagram

