


## COMBI® MAR 308/5 LG

Junction Box 85x85x51mm, Polypropylene, RAL 7035, with terminal block



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                                     |                     |
|-------------------------------------|---------------------|
| <b>Material</b>                     | Polypropylene       |
| <b>Material sealing gasket</b>      | TPE                 |
| <b>Temp. range min</b>              | -30 °C              |
| <b>Temp. range max</b>              | 100 °C              |
| <b>Temperatures during install.</b> | -5 °C - 60 °C       |
| <b>Protection class</b>             | IP66 / IP67         |
| <b>Glow wire test</b>               | 960 °C              |
| <b>Voltage</b>                      | 400 V               |
| <b>Rated current / A (Terminal)</b> | 32 A                |
| <b>Rated cross section</b>          | 4 mm²               |
| <b>Terminals/poles</b>              | 5 x 4,0 mm²         |
| <b>Fixing</b>                       | 4 internal openings |
| <b>Ø cable diameter min</b>         | 3 mm                |
| <b>Ø cable diameter max</b>         | 12 mm               |
| <b>External dimensions LxWxH</b>    | 85 x 85 x 51 mm     |
| <b>Type of cable gland</b>          | M 20 x 1,5          |
| <b>Using for cable gland</b>        |                     |
| <b>Product Color</b>                | RAL 7035            |
| <b>WISKA-Order no.</b>              | 10060498            |
| <b>Type</b>                         | COMBI® MAR 308/5 LG |
| <b>Packing unit</b>                 | 5                   |
| <b>ETIM-Classification</b>          | EC002600            |

Remarks:

Fixing: With mounting clip or 4 internal openings outside of the sealing area

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

**Equipment:** 8 elastic self-sealing puncture-membranes for cable entry  
8 integrated M20 thread for mounting without lock nut  
4 captive cover screws  
including mounting clip

#### Recommended accessories

|                                               |          |
|-----------------------------------------------|----------|
| <b>MP-S Mounting plate small</b>              | 10105774 |
| <b>MP-L Mounting plate large COMBI® / WHK</b> | 10105775 |

#### Spare parts

|                                   |          |
|-----------------------------------|----------|
| <b>SP-HKT 11/5 Terminal block</b> | 22001132 |
|-----------------------------------|----------|

02.04.2020


Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com




Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice